

Message

From: Chiang, I-Jung [chiang.i-jung@epa.gov]
Sent: 4/17/2019 7:38:36 PM
To: Maguire, Charles [maguire.charles@epa.gov]
CC: Assunto, Carmen [Assunto.Carmen@epa.gov]; Balandran, Olivia-R [balandran.olivia-r@epa.gov]; Gray, David [gray.david@epa.gov]; Bokun, Lisa [Bokun.Lisa@epa.gov]; Acevedo, Janie [Acevedo.Janie@epa.gov]; Crossland, Ronnie [Crossland.Ronnie@epa.gov]; Smith, Monica [smith.monica@epa.gov]; Smalley, Bryant [smalley.bryant@epa.gov]
Subject: Re: ACTION - draft desk statement

On the last sentence, please change "facilities" to "facility's". Ready to send for TCEQ review thereafter. Thanks.

I-Jung Chiang
Office of Regional Administrator
EPA Region 6
1445 Ross Ave
Dallas, Texas 74054
214.665.2160
chiang.i-jung@epa.gov

On Apr 17, 2019, at 2:26 PM, Maguire, Charles <maguire.charles@epa.gov> wrote:

Looks great!

From: Assunto, Carmen
Sent: Wednesday, April 17, 2019 2:26 PM
To: Maguire, Charles <maguire.charles@epa.gov>; Chiang, I-Jung <chiang.i-jung@epa.gov>
Cc: Balandran, Olivia-R <balandran.olivia-r@epa.gov>; Gray, David <gray.david@epa.gov>; Bokun, Lisa <Bokun.Lisa@epa.gov>; Acevedo, Janie <Acevedo.Janie@epa.gov>; Crossland, Ronnie <Crossland.Ronnie@epa.gov>; Smith, Monica <smith.monica@epa.gov>; Smalley, Bryant <smalley.bryant@epa.gov>
Subject: RE: ACTION - draft desk statement

Fixing area to areas and discharge to discharged (last sentence), here it is. David, are you ready for me to send this desk statement to TCEQ for review? Thank you, Carmen

In an effort to ensure that the response action for the Intercontinental Terminals Company (ITC) facility continues uninterrupted and transitions to a non-emergency status, EPA, with concurrence from TCEQ, issued ITC a one-time authorization for incident-related wastewater to be discharged through their wastewater treatment system on April 17, 2019. At the request of ITC, with concurrence from TCEQ, and pursuant to EPA's emergency response authorities, EPA is authorizing the treatment and discharge of the incident-related wastewater from Tank 80-34 through the on-site wastewater treatment system. This action will allow rain water collected in other operational areas outside of the response area to be treated and discharged through the facilities wastewater treatment system and not compound the problems associated with incident related wastewater storage.

From: Maguire, Charles
Sent: Wednesday, April 17, 2019 2:15 PM
To: Chiang, I-Jung <chiang.i-jung@epa.gov>
Cc: Balandran, Olivia-R <balandran.olivia-r@epa.gov>; Gray, David <gray.david@epa.gov>; Bokun, Lisa <Bokun.Lisa@epa.gov>; Assunto, Carmen <Assunto.Carmen@epa.gov>; Acevedo, Janie <Acevedo.Janie@epa.gov>; Crossland, Ronnie <Crossland.Ronnie@epa.gov>; Smith, Monica <smith.monica@epa.gov>; Smalley, Bryant <smalley.bryant@epa.gov>
Subject: Re: ACTION - draft desk statement

Looks good
Last sentence says other operation area might should be areas.

Sent from my iPhone

On Apr 17, 2019, at 2:10 PM, Chiang, I-Jung <chiang.i-jung@epa.gov> wrote:

This is the desk statement that David wants.

U.S. Environmental Protection Agency Region 6

Response to Request for One-Time Authorization of Discharge of Incident-Related Wastewater and Continuing Discharge of Non-Incident Related Wastewater

In an effort to ensure that the response action for the Intercontinental Terminals Company (ITC) facility continues uninterrupted and transitions to a non-emergency status, EPA, with concurrence from TCEQ, issued ITC a one-time authorization for incident-related wastewater to be discharged through their wastewater treatment system on April 17, 2019. At the request of ITC, with concurrence from TCEQ, and pursuant to EPA's emergency response authorities, EPA is authorizing the treatment and discharge of the incident-related wastewater from Tank 80-34 through the on-site wastewater treatment system. This action will allow rain water collected in other operational area outside of the response area to be treated and discharge through the facilities wastewater treatment system and not compound the problems associated with incident related wastewater storage.

I-Jung Chiang
Office of Regional Administrator
EPA Region 6
1445 Ross Ave
Dallas, Texas 74054

214.665.2160
chiang.i-jung@epa.gov

On Apr 17, 2019, at 11:32 AM, Balandran, Olivia-R <balandran.olivia-r@epa.gov> wrote:

Here is the revised version you requested from Ronnie during Sr. Staff meeting for your review/edits. Let us know if you have any final edits. Once you are OK with it, we will then provide a draft to TCEQ for their review.

Olivia

From: Smith, Monica
Sent: Wednesday, April 17, 2019 10:39 AM
To: Balandran, Olivia-R <balandran.olivia-r@epa.gov>; Bokun, Lisa <Bokun.Lisa@epa.gov>; Assunto, Carmen <Assunto.Carmen@epa.gov>; Smalley, Bryant <smalley.bryant@epa.gov>
Subject: draft desk statement

Monica Smith
Chief,
UST, POLLUTION PREVENTION, PESTICIDES
AND LEAD BRANCH
LAND, CHEMICAL AND REVITALIZATION
DIVISION
214-665-6780 (office)
468-766-3398 (EPA mobile phone)
smith.monica@epa.gov

<DRAFT Response to ITC Wastewater Discharge Request 4-17-19.docx>